

## PERFORMANCE DATA SHEET

### 67106 Frontier™ Pro Ultralight Filter (Tactical)

#### General Use Information

The Frontier Pro Ultralight Water Filter is designed for ease of use in multiple applications and features minimal weight, quality design and maximum connectivity. Improved to include a replaceable GRN Line bacteria-grade filter, the Frontier Pro offers a robust defense against Cysts and Bacteria, the most common causes waterborne illnesses.

#### Important Safety Information

**CAUTION** — To avoid cross contamination: Do not handle filter or mouthpiece with wet hands that been exposed to contaminated water. Do not submerge filter or mouthpiece in contaminated water.

#### General Maintenance

**FILTER STORAGE** - Remove and discard the pre-filter disk. Remove the filter cartridge, and allow filter to air dry at room temperature for at least 48 hours prior to storing. Once dry, store in a cool dry location. Do not store used filter in a sealed container. Do not freeze filter or expose filter to extreme temperatures. Insert a new pre-filter disk prior to next use.

#### Replacement Parts

67013 Frontier Pro Replacement Filter (GRN-III-50)

67023 Frontier Max UQC Splice Kit 1/4"

67024 Frontier Max UQC Splice Kit 5/16"

#### Warranty and Disclaimer

Aquamira Technologies, Inc. (Aquamira) warrants all products to be free from defects in workmanship and materials for one year from the date of purchase by the consumer, or for the duration of the imprinted self life. Filter clogging or normal wear is not a defect. If you are not satisfied with the performance of an Aquamira product, Aquamira will repair or replace the product.

Aquamira hereby excludes any expressed or implied warranties of fitness for a particular purpose. The following is made in lieu of any such warranties: This information and specifications supplied by Aquamira are based on industry standards and are tested using standard laboratory test conditions which are accepted in the industry to be reliable, but Aquamira does not guarantee that any result shown or claimed will be obtained. Before using any Aquamira product, the user shall determine the suitability and the fitness of the products for their intended use. The effectiveness of Aquamira products may be limited by environmental or hygienic conditions, such as use with contaminated hands, recontamination after filtration or treatment, failure to maintain a sterile mouthpiece or downstream equipment, sharing with multiple users, exposure to extreme environmental conditions such as heat, freezing, severe shock such as drops or other impact that may damage the integrity of filters, seals or connections. The user assumes all risk and liability in connection with its own tests and use. Aquamira shall not be liable for any injury, loss or damage, direct or consequential, resulting by or from the use, misuse, or inability to use Aquamira products.

While testing was performed under standard laboratory conditions, actual performance may vary.



#### Product Data and Dimensions

DRY WEIGHT	0.16 lbs (71 g)
FLOW RATE	.05 - .13 gpm (200 - 500 ml/min)
SERVICE LIFE (FILTER)	50 gal (189.27 L)
OP. TEMPS	35 - 120°F (1.6 - 49°C)
OP. PRESSURE (FILTER)	3psi (20.6844kPa)


#### Recommended Use Conditions

Use best water source available, quality of the source water may vary, use only Aquamira GRN Line Series III filters. We recommend pretreating water with Aquamira® Water Treatment Drops (#67202) if biological/viral quality of source water is uncertain.

#### Assembled in US of US & Global Components

EPA Est. No 71766-UT-001

#### Certifications



Certified by IAPMO R&T to NSF/ANSI 372 for lead free content. Meets US EPA Microbiological Purifier test standard for the reduction of cysts and bacteria.

#### Performance Specifications

**GRN LINE** | BACTERIA PROTECTION

Bacteria Removal ≥99.9999%  
Cyst Removal ≥99.95%

Chlorine, Chemical, Taste & Odor Removal

MEETS OR EXCEEDS ANSI/NSF 42